

SENT: 08.11.2025



COMMUNITY CARE LICENSING DIVISION: NOTIFICATION OF UNITED STATES CONSUMER PRODUCT SAFETY COMMISSION ABOVE-GROUND POOLS RECALL

**Primary Audience:
ALL CHILD CARE PROGRAM LICENSEES AND PROVIDERS**

The Community Care Licensing Division (CCLD), Child Care Licensing Program (CCP), is sharing a notification from the [United States Consumer Product Safety Commission](#) (CPSC) of a recent recall of Bestway, Intex, and Polygroup models of above-ground pools. On July 21, 2025, CPSC announced a recall of approximately five million 48-inch and taller above-ground pools that use compression straps. These straps wrap around the pool on the outside of the supporting poles and may create a foothold, allowing a child to access the pool and drown.

View the full notification online: [Bestway, Intex, and Polygroup Recall Certain Above-Ground Pools 48 Inches and Taller Due to Drowning Hazard; Nine Deaths Reported; Five Million Pools Sold Since 2002](#)

A forthcoming Provider Information Notice (PIN) will be shared with further details.

Additional Resources:

For additional guidance on water safety, please refer to [PIN 24-08-CCLD](#).

For additional information on the recall and additional water safety information, please visit the CPSC website at [PoolSafety.gov](#).

If you have any questions, please contact your [CCP Local Regional Offices](#).

Community Care Licensing Subscriptions, Child Care Program

Copyright © 2025 CA Dept. of Social Services-Community Care Licensing Division, All rights reserved.

Our mailing address is:

CA Dept. of Social Services-Community Care Licensing Division
744 P St.
MS 9-15-805
Sacramento, CA 95814-6400

Want to change how you receive these emails?

You can [update your preferences](#) or [unsubscribe from this list](#)
